

PRODUCT FEATURES

For Indoor Use

Pixel pitches ranging from 1.5mm - 3.9mm




GUARDIAN SERIES


DVLED BUILDING BLOCK MODULES

Versatile displays with high visual
performance





FULL PANEL SIZE



GUARDIAN SERIES

DVLED BUILDING BLOCK MODULES

Versatile displays with high visual
performance



MECHANICAL

- Panel size: 500 x 1000mm
- Panel Depth: 44mm Ultra-thin
- Weight: 19kg / square meter
- 1300kg breaking point
- Perfect alignment & flatness
- Patented captive bolt design





GUARDIAN SERIES


DVLED BUILDING BLOCK MODULES

Versatile displays with high visual
performance



INSTALLATION

Simply connect different sized panels
with the locking system.



WALL MOUNTED INSTALLATION

- Bracket-Free
- Direct wall mounted
- 100% full front service






GUARDIAN SERIES

DVLED BUILDING BLOCK MODULES

Versatile displays with high visual
performance

FRONT SERVICE

LED modules without plastic chassis
Magnetic front service with vacuum tool





GUARDIAN SERIES

DVLED BUILDING BLOCK MODULES

Versatile displays with high visual
performance

HANGING INSTALLATION

Max hanging: 13 meters high
Without additional bracket
1300kg breaking point



EASY INSTALLATION

Standard installation accessories
Square bar / installation plate / screws





GUARDIAN SERIES

DVLED BUILDING BLOCK MODULES


Versatile displays with high visual
performance



**CONCAVE &
CONVEX**



CREATIVE SHAPES



LED CUBES



GUARDIAN

SERIES

Specification




Pixel Pitch	1.5mm	1.8mm	2.6mm	2.9mm	3.9mm
LED Configuration	SMD1212	SMD1515	SMD1515	SMD2020	SMD2020
Brightness	800nits	800nits	1000nits	1000nits	1000nits
Viewing Angle	160°/ 160° (50% brightness)				
Contrast ratio	5000:1				
Refresh rate	1920/2480Hz				
Processing	14 bits				
Module Size	250mm x 250mm				
Cabinet Size	500x1000mm / 500x750mm / 500x500mm / 500x250mm / 250x250mm				
Input Voltage	AC100~240V 50/60 HZ				
Power Consumption (Avg)	200W/sqm				
Power Consumption (Max)	600W/sqm				
Working Temperature	-20°C~60°C				
IP Rating	IP31/IP31				
Life Span	100,000 hrs				
Warranty	24 months				



GUARDIAN SERIES

PROJECT GALLERY



855- MYDISPLAY 855-693-4775



LEDgendDistributors.com



Info@LEDgendDistributors.com

GUARDIAN SERIES

PROJECT GALLERY



855- MYDISPLAY 855-693-4775



LEDgendDistributors.com



Info@LEDgendDistributors.com

GUARDIAN SERIES

PROJECT GALLERY



855- MYDISPLAY 855-693-4775



LEDgendDistributors.com



Info@LEDgendDistributors.com

GUARDIAN SERIES

PROJECT GALLERY



855- MYDISPLAY 855-693-4775



LEDgendDistributors.com



Info@LEDgendDistributors.com